

according to UK REACH

Page 1/9 Printing date 12.02.2025 Revision: 12.02.2025 Version number 14 (replaces version 13)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: AUTOSOL® SHINE Metal Polish

- · UFI: S973-A0XQ-6006-F4TT
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Application of the substance / the mixture Polishing agent/ Burnishing compound
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Dursol-Fabrik Otto Durst GmbH & Co. KG Martinstr. 22 42655 SOLINGEN Germany Tel.: +49 (0)212 - 2718-0 Fax: +49 (0)212 - 208795 www.autosol.de

- Further information obtainable from: Department Product Safety labor@autosol.de
- 1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 +49 (0) 212 - 2718-0 Only available during the following office hours: Mo-Fr; 08:00 -16:00 h (MEZ/MESZ) Languages of the phone service: German & English

# **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
   Classification according to Regulation (EC) No 1272/2008
   The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information: Keep out of reach of children.
- · 2.3 Other hazards
- The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 2)

<sup>-</sup> GB —



(Contd. of page 1)

# Safety data sheet

according to UK REACH

Page 2/9 Printing date 12.02.2025 Revision: 12.02.2025 Version number 14 (replaces version 13)

#### Trade name: AUTOSOL® SHINE Metal Polish

· **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

<sup>·</sup> Dangerous components:				
EC number: 918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics,	10-<25%		
Reg.nr.: 01-2119457273-39-xxxx	<2%			
	aromatics			
	🚸 Asp. Tox. 1, H304, EUH066			
EC number: 926-141-6	Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclics,	10-<25%		
Reg.nr.: 01-2119456620-43-xxxx				
	🚸 Asp. Tox. 1, H304			
EC number: 918-811-1	Hydrocarbons, C10, aromatics, <1% naphthalene	1-<10%		
Reg.nr.: 01-2119463583-34-xxxx	♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411;			
	♂ STOT SE 3, H336, EUH066			
CAS: 68187-76-8	Castor oil, sulfated, sodium salt	1-<10%		
EINECS: 269-123-7	🚸 Eye Irrit. 2, H319			
Regulation (EC) No 648/2004 on detergents / Labelling for contents				
aliphatic hydrocarbons		≥15 - <30%		
soap ≥		≥5 - <15%		
aromatic hydrocarbons, anionic surfactants <		<5%		
Additional information: For the wording of the listed beyond abrance refer to eastion 10				

· Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: If skin irritation continues, consult a doctor.
- $\cdot$  After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing:

- Rinse out mouth and then drink plenty of water. Seek immediate medical advice.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.



Page 3/9

(Contd. of page 2)

# Safety data sheet

according to UK REACH

Printing date 12.02.2025 Revision: 12.02.2025 Version number 14 (replaces version 13)

Trade name: AUTOSOL® SHINE Metal Polish

· For safety reasons unsuitable extinguishing agents: Water with full jet

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

• Additional information Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

No special measures required.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Storage class: 13
- 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 1344-28-1 aluminium oxide

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*inhalable dust \*\*respirable dust

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)



according to UK REACH

Page 4/9 Printing date 12.02.2025 Revision: 12.02.2025 Version number 14 (replaces version 13)

#### Trade name: AUTOSOL® SHINE Metal Polish

(Contd. of page 3)

- $\cdot$  Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Respiratory protection: Not necessary if room is well-ventilated.

#### Hand protection

Solvent resistant gloves

Alkaline resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

#### Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.5 \text{ mm}$ 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material** For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

# **SECTION 9: Physical and chemical properties**

Colour:	Pink	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling		
range	100 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	>100 °C	
Decomposition temperature:	Not determined.	
pH at 20 °C	9.5	
Viscosity:		
Kinematic viscosity at 40 °C	>21 mm²/s	
Dynamic:	Not determined.	
Solubility		
water:	Not miscible or difficult to mix.	
Partition coefficient n-octanol/water (log value)	Not determined.	



# Safety data sheet according to UK REACH

Page 5/9 Printing date 12.02.2025 Revision: 12.02.2025 Version number 14 (replaces version 13)

#### Trade name: AUTOSOL® SHINE Metal Polish

	(Contd. of page 4)
· Vapour pressure:	Not determined.
• Density and/or relative density	
Density at 20 °C:	1.26 g/cm <sup>3</sup>
Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Pasty
Important information on protection of health	
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
Change in condition	
· Evaporation rate	Not determined.
<ul> <li>Information with regard to physical hazard</li> </ul>	
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
• Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.



according to UK REACH

Page 6/9 Printing date 12.02.2025 Revision: 12.02.2025 Version number 14 (replaces version 13)

#### Trade name: AUTOSOL® SHINE Metal Polish

(Contd. of page 5) • **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

#### · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:				
Hydrocar aromatics	•	C13, n-alkanes, isoalkanes, cyclics, <2%		
Oral	LD50	>5,000 mg/kg (rat)		
Dermal	LD50	>5,000 mg/kg (rabbit)		
Inhalative	LC50 (4 h)	4,951 mg/l (rat)		
Hydrocar	Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclics, <2% aromatics			
Oral	LD50	>5,000 mg/kg (rat)		
Dermal	LD50	>5,000 mg/kg (rabbit)		
Inhalative	LC50 (4 h)	>5,000 mg/l (rat)		
68187-76-	68187-76-8 Castor oil, sulfated, sodium salt			
Oral	LD50	>15,600 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rat)		
Skin corro Serious e Respirato Germ cell Carcinogo Reproduc STOT-sin	ye damage/ ry or skin s mutagenic enicity Base tive toxicity gle exposu	t: ion Based on available data, the classification criteria are not met. /irritation Based on available data, the classification criteria are not met. sensitisation Based on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met. ed on available data, the classification criteria are not met. y Based on available data, the classification criteria are not met. re Based on available data, the classification criteria are not met. sure Based on available data, the classification criteria are not met.		

• Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

Aquatic toxicity:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

EC50 >1,000 mg/l (daphnia)

LC50 (96 h) >1,000 mg/l (Oncorhynchus mykiss)

12.2 Persistence and degradability No further relevant information available.

(Contd. on page 7)



according to UK REACH

Page 7/9 Printing date 12.02.2025 Revision: 12.02.2025 Version number 14 (replaces version 13)

#### Trade name: AUTOSOL® SHINE Metal Polish

(Contd. of page 6)

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

### **SECTION 14: Transport information**

<ul> <li>· 14.1 UN number or ID number</li> <li>· ADR, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk according instruments</li> </ul>	to IMO Not applicable.	
· UN "Model Regulation":	Void	
		GB

(Contd. on page 8)



according to UK REACH

Page 8/9 Printing date 12.02.2025 Revision: 12.02.2025 Version number 14 (replaces version 13)

#### Trade name: AUTOSOL® SHINE Metal Polish

(Contd. of page 7)

# **SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** No further relevant information available.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H304 May be fatal if swallowed and enters airways.
- H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

#### <sup>•</sup> Department issuing SDS:

Dursol-Fabrik Otto Durst GmbH & Co. KG Martinstraße 22 42655 Solingen Germany Abteilung F&E / Produktsicherheit

· Contact: labor@autosol.de

- Date of previous version: 27.09.2023
- Version number of previous version: 13
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances



according to UK REACH

Page 9/9 Printing date 12.02.2025 Revision: 12.02.2025 Version number 14 (replaces version 13)

#### Trade name: AUTOSOL® SHINE Metal Polish

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • \* **Data compared to the previous version altered.**  (Contd. of page 8)

GB —